


My Profile Log In



Home / Medicine and Healthcare / Imaging

[HOME](#)
[ABOUT US](#)
[CONTACT US](#)
[HELP](#)
**Magnetic Resonance in Medicine**[What is RSS?](#)**Volume 42, Issue 4, Pages 738 - 745**

Published Online: 28 Sep 1999

Copyright © 1999 Wiley-Liss, Inc.

[Save Title to My Profile](#)[Set E-Mail Alert](#)

Go to the homepage for this journal to access trials, sample copies, editorial and author information, news, and more. >

[e-mail](#) [print](#)

Published on behalf of

[Go to Society Site](#)SEARCH ☒ All Content☐ Publication Titles

Go

[Advanced Search](#)[CrossRef / Google Search](#)[Acronym Finder](#)

SEARCH IN THIS TITLE

Magnetic Resonance in Medicine

All Fields

Go

SEARCH BY CITATION

Vol: Issue: Page:

Go

IMPORTANT MESSAGE

10 Reasons Why
You Should Join
the ISMRM Today

INDEXED BY

This journal is listed in the U.S. National Library of Medicine's PubMed index.

SIGN UP NOW

Get select content from some of Wiley's leading publications delivered to your PDA — free!

[Sign up now](#)

REPRINT INQUIRIES

[Save Article to My Profile](#)[Download Citation](#)< [Previous Abstract](#) | [Next Abstract](#) >[Abstract](#) | [References](#) | [Full Text: PDF \(334k\)](#) | [Related Articles](#) | [Citation Tracking](#)**Full Paper****Vascular stents as RF antennas for intravascular MR guidance and imaging**

Harald H. Quick, Mark E. Ladd, Daniel Nanz, Krzysztof P. Mikolajczyk, Jörg F. Debatin *

Institute of Diagnostic Radiology, University Hospital Zürich, Zürich, Switzerland.

email: Jörg F. Debatin (debatin@dmr.usz.ch)

*Correspondence to Jörg F. Debatin, Institute of Diagnostic Radiology, University Hospital Zürich, Rämistrasse 100, CH-8091 Zürich, Switzerland.

Keywords

atherosclerosis; Wallstent; stent deployment; MR guidance; intravascular MRI; interventional MRI

Abstract

Stent deployment is used to improve the immediate and long-term results of vascular interventions in various vascular sites. X-ray angiography as an imaging modality is often limited in providing an accurate assessment with regard to vessel size, plaque calcification, or stent deployment. In this study, the potential of using the stent endoprosthesis as a radiofrequency (RF) receive-only probe for MR guidance and lesion imaging was investigated. Three different principles were developed to visualize stents actively, the first employing the stent as a loop antenna, the second employing the stent in an electrical dipole configuration, and the third employing the stent in a hybrid configuration as a coaxial line antenna. The three configurations resulted in different signal characteristics. Based on two of these antenna configurations, stent deployment devices were built and evaluated in in vitro as well as in vivo sheep experiments. Active stent visualization allows real-time MR guidance through the vessel tree and monitoring of stent deployment. In addition, the stent antenna may become useful for high resolution imaging of the vessel wall. Magn Reson Med 42:738-745, 1999. © 1999 Wiley-Liss, Inc.

Received: 17 March 1999; Revised: 23 June 1999; Accepted: 24 June 1999

Related Articles

- Find other [articles](#) like this in Wiley InterScience
- Find articles in Wiley InterScience written by any of the [authors](#)

Wiley InterScience is a member of CrossRef.

